



Square Bale Wrapper 995L-LS-LSR-TSR Series





Melale

The Professional Choice

## "Practical and Versatile"

The McHale linkage Square Balewrapper is the practical and versatile solution for wrapping large square bales. With the usual McHale common sense design, quality components and precision engineering the Linkage Square Balewrapper is the trusted choice for framers who want high output and consistent performance for use in static locations. Depending on your requirements the 99L Series can be supplied with practical features including the hydraulic cut and the tie system and the efficient 750mm film dispenser unit which maximises film usage, all of which can be simply controlled with the touch of a button or a remote control. The constantly rotating rollers ensures an even rotation of the bale and the efficient application of the film. Versatile too, with a simple adjustment the 995L Linkage Square Balewrapper will equally and efficiently wrap large round bales. Like all McHale Balewrappers, the high output 995L Series will give you a tightly wrapped bale that contains all the natural juices for increased nutritional value while improving environmental protection.

### Remote Contro

When used with an independent power pack and an infra red remote control, this machine will eliminate the need for a second tractor and operator. While one bale is being wrapped the operator can stack the last completed bale ready to complete the cycle. This economical and efficient method of bale wrapping can reduce operating costs by up to 50% while keeping the handling of the wrapped bales to a minimum.

### Cut & Tie

The McHale hydraulically operated Cut and Tie System cuts and holds the film in position ready to wrap the next bale. This time saving device eliminates the need to manually reattach the film.

Uniquely designed, this system works reliably and consistently in all weather conditions.





### **Quick Fit Dispenser**



Reloading new roll



Locking in new roll













# **M**-Hale

McHale 995 TSR is a trailed option of this machine it gives you the flexiability of being able to mount a hydraulic power pack on the front of the machine.



995L-LS-LSR-TSR Series

### **Distributed by**

### **Versatility**

The 995 Series is practically designed to wrap both round and square bales with equal efficiency.



#### **Technical Data** Linkage Model [Square] 995L Transport Length 3.1m (10′2″ 1.73m (5'8") 0.97m (3'2") 1.97m (6'6") Transport Width Height to top of rollers Total Height 18 @ 150 bar Min oil req. litres per minute 1000kg. (2000 lbs) 1100 kg. (2200 lbs) Max bale weight Weight (unladen) Working speed-table (up to) 30 rotations/min **Protection Mechanism** Shear bolt/roll pin **Greasing Points** 15 **Bale Sizes** 70 s 80, 80 s 80, 80 s 90 mm Length 180 cm Round bales Max. Diameter 180<sup>°</sup>cm Round bales Max. Width 180 cm

Due to the continuing policy of product improvement, we reserve the right to alter specification and construction without notice



McHale Engineering Limited, Castlebar Road, Ballinrobe, Co. Mayo, Ireland.

Tel: 353 94 9520300 Fax: 353 94 9520356 Email: sales@mchale.net Web: www.mchale.net